




**How to
exchange ITMREF/REFRSP with CDS
and
configure EAD Check in IPS and CDS**





EDI configuration

Welcome to the CDS: Admin post from MACEDONIA, Office: Undefined

Home

Manage users	Manage my preferences	Add/Edit functions	Manage organization preferences
Manage rules for customs declarations	View/generate my CDS manifest	Manage system configurations	Manage EDI exchanges
Browse EDI Messages generated	Upload EDI files	View logs	Update local language text
API Access Counters	Manage postal fees	ITMATT items with data loss	Invalid items that did not produce ITMATT
Manage organization specific exchange rates	Manage pending referrals	View responded referrals	Manage declaration references
Manage mail class rules	Anonymous Declarations Report	Manage Content Pieces Filters	EDI Message Report
Outbound items report	Inbound items report	Outbound ITMATT QA/ Compliance report	ITMATT outbound feed
ITMATT outbound errors	Create declaration for outbound item at post	Create declaration for inbound item at post	Search declarations
Outbound item watchdog	Validate anonymous declaration for unidentified packets	Validate anonymous declaration for identified items	

Manage EDI exchanges

Log in as postal administrator



EDI configuration

Welcome to the CDS: Admin post from MACEDONIA, Office: Undefined

[Home](#) [Manage EDI exchanges](#)

[Back](#)

Recipient organization

EDI message

Add

Click 'Add'

Show current exchanges Show possible updates Show possible inconsistencies Show possible additional changes

■	Status	Actions	Sender Organization	Recipient Organization	EDI Message	Sender EDI Address	Recipient EDI Address	Other Charac	Send To Transit	Transit Organization
	Ok	Edit Delete	MKA	CAA	ITMATT 1.5.0	MK501	CA501	C,E,U	<input type="checkbox"/>	
	Ok	Edit Delete	MKA	FRA	ITMATT 1.6.0	MK501	FR501	C,E,U	<input type="checkbox"/>	
	Ok	Edit Delete	MKA	USA	ITMATT 1.5.0	MK501	US501	C,E,U	<input type="checkbox"/>	

Add/Update Selected



EDI configuration

Welcome to the CDS: Admin post from MACEDONIA, Office: Undefined

Home

Add/Edit EDI exchange

Back

Sender organization: MKA (MACEDONIA)

Recipient organization *: AUA (Australia PC)

EDI message *:

Sender EDI address *:

Recipient EDI address *:

Mail classes *

	I - Ordinary	V - Insured	R - Registered	T - Tracked
<input type="checkbox"/> ITMATT(1.6.0)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> ITMATT(1.5.0)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> ITMATT(1.2.1)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> ITMREF(1.0.0)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> REFRSP(1.0.0)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> E - EMS	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> U - Letter	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Send an ITMATT copy to the Transit location

Transit organization *:

Select a post and an EDI message type/version

Store



EDI configuration

Welcome to the CDS: Admin post from MACEDONIA, Office: Undefined

[Home](#)

[Add/Edit EDI exchange](#)

[Back](#)

Sender organization: MKA (MACEDONIA)

Recipient organization *: AUA (Australia PC) ▼

EDI message *: ITMATT(1.6.0) ▼

Sender EDI address *: MK501 ▼

Recipient EDI address *: AU501 ▼

ITMATT

Mail classes *

<input checked="" type="checkbox"/>	Mail Class	N - Ordinary	V - Insured	R - Registered	T - Tracked
<input checked="" type="checkbox"/>	C - Parcel	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<input checked="" type="checkbox"/>	E - EMS	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<input checked="" type="checkbox"/>	U - Letter	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

Products

Send an ITMATT copy to the Transit location

Transit organization *:

Bilateral agreement required

[Store](#)



EDI configuration

Welcome to the CDS: Admin post from MACEDONIA, Office: MKSKPA

[Home](#) | [Add/Edit EDI exchange](#)

Sender organization: MKA (MACEDONIA)

Recipient organization *: MK (NORTH MACEDONIA CUSTOMS) ▼

EDI message *: ▼

Sender EDI address *: CUSITM(1.1.0)

Recipient EDI address *: CUSITM(1.0.0)

Mail classes *

<input type="checkbox"/>	Mail Class	N - Ordinary	V - Insured	R - Registered	T - Tracked
<input type="checkbox"/>	C - Parcel	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	E - EMS	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	U - Letter	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Send an ITMATT copy to the Transit location

Transit organization *: ▼

Select your customs authorities and the version of CUSITM

Store



EDI configuration

Welcome to the CDS: Admin post from MACEDONIA, Office: MKSKPA

[Home](#) [Manage EDI exchanges](#)

Recipient organization

EDI message


[Add](#)

Show current exchanges Show possible updates Show possible inconsistencies Show possible additional changes

<input type="checkbox"/>	Status	Actions	Sender Organization	Recipient Organization	EDI Message	Sender EDI Address	Recipient EDI Address	Other Charac	Send To Transit	Transit Organization
<input type="checkbox"/>	Ok	Edit Delete	MKA	AUA	ITMATT 1.6.0	MK501	AU501	C,E,U	<input type="checkbox"/>	
<input type="checkbox"/>	Ok	Edit Delete	MKA	CAA	ITMATT 1.5.0	MK501	CA501	C,E,U	<input type="checkbox"/>	
<input type="checkbox"/>	Ok	Edit Delete	MKA	FRA	ITMATT 1.6.0	MK501	FR501	C,E,U	<input type="checkbox"/>	
<input type="checkbox"/>	Ok	Edit Delete	MKA	FRA	REFRSP 1.0.0	MK501	FR501	C,E,U	<input type="checkbox"/>	
<input type="checkbox"/>	Ok	Edit Delete	MKA	FRA	ITMREF 1.0.0	MK501	FR501	C,E,U	<input type="checkbox"/>	
<input type="checkbox"/>	Ok	Edit Delete	MKA	MK	CUSITM 1.1.0	MK501	MK601	C,E,U	<input type="checkbox"/>	
<input type="checkbox"/>	Ok	Edit Delete	MKA	USA	ITMATT 1.5.0	MK501	US501	C,E,U	<input type="checkbox"/>	
<input type="checkbox"/>	Ok	Edit Delete	MKA	USA	ITMREF 1.0.0	MK501	US501	C,E,U	<input type="checkbox"/>	
<input type="checkbox"/>	Ok	Edit Delete	MKA	USA	REFRSP 1.0.0	MK501	US501	C,E,U	<input type="checkbox"/>	

[Add/Update Selected](#)

EDI
partnerships





How to send a referral (ITMREF)

ITMREF messages are triggered by decisions from customs

Received as CUSRSP

Captured in CDS

Imported in CDS (API)



ITMREF are automatically generated and sent to the sending post



How to send a referral (ITMREF)

Home

Manage users	Manage my preferences	Add/Edit functions	Manage organization preferences
Manage rules for customs declarations	View/generate my CDS manifest	Manage system configurations	Manage EDI exchanges
Browse EDI Messages generated	Upload EDI files	View logs	Update local language text
API Access Counters	Manage postal fees	ITMATT items with data loss	Invalid items that did not produce ITMATT
Manage organization specific exchange rates	Manage pending referrals	View responded referrals	Manage declaration references
Manage mail class rules	Anonymous Declarations Report	Manage Content Pieces Filters	EDI Message Report
Outbound items report	Inbound items report	Outbound ITMATT QA/ Compliance report	ITMATT outbound feed
ITMATT outbound errors	Create declaration for outbound item at post	Create declaration for inbound item at post	Search declarations
Outbound item watchdog	Validate anonymous declaration for unidentified packets	Validate anonymous declaration for identified items	

View the referrals sent



How to send a referral (ITMREF)

Notes **Search pending referrals received / sent. Enter a date range using the following date format: dd/mm/yyyy. A blank 'Date from' defaults to today 00:00, and 'Date to' defaults to today current time**

Mail flow Received Sent

Customs Decision

Date from / /

Date to / /

Select 'Sent' and click 'Search'

	Item id	Origin country	Event date	Customs Decision	Decision reason name
Select	CP000000001US	US (UNITED STATES)	07/11/2022 09:41	RFS (Request for screening)	Request for screening

Referral details

Item id

Referral reference

Actions

Reason Code	Reason Text
<input type="text" value="XRY"/>	<input type="text" value="X-ray equipment"/>

Click 'Select' to display the referral details



How to send a referral (ITMREF)

Home

Manage users	Manage my preferences	Add/Edit functions	Manage organization preferences
Manage rules for customs declarations	View/generate my CDS manifest	Manage system configurations	Manage EDI exchanges
Browse EDI Messages generated	Upload EDI files	View logs	Update local language text
API Access Counters	Manage postal fees	ITMATT items with data loss	Invalid items that did not produce ITMATT
Manage organization specific exchange rates	Manage pending referrals	View responded referrals	Manage declaration references
Manage mail class rules	Anonymous Declarations Report	Manage Content Pieces Filters	EDI Message Report
Outbound items report	Inbound items report	Outbound ITMATT QA/ Compliance report	ITMATT outbound feed
ITMATT outbound errors	Create declaration for outbound item at post	Create declaration for inbound item at post	Search declarations
Outbound item watchdog	Validate anonymous declaration for unidentified packets	Validate anonymous declaration for identified items	

View the responses received to the referrals sent



How to send a referral (ITMREF)

Notes **Search responded referrals received / sent. Enter a date range using the following date format: dd/mm/yyyy. A blank 'Date from' defaults to today 00:00, and 'Date to' defaults to today current time**

Mail flow Sent Received

Customs Decision

Date from / /

Date to / /

Select 'Received' and click 'Search'

	Item id	Origin country	Event date	Customs Decision	Decision reason name
Select	CP000000001US	US (UNITED STATES)	07/11/2022 10:53	(Additional screening conducted – no risk or alarm identified)	Additional screening conducted – no risk or alarm identified

Referral details

Item id

Referral reference


Response details

Response code Response reference

Actions

Reason Code	Action Taken Code	Action Taken Text
<input type="text" value="XRY"/>	<input type="text" value="XRY"/>	<input type="text" value="X-Ray done"/>

Click 'Select' to display the referral and response details





How to respond to a referral (REFRSP)

Welcome to the CDS: Admin post from MACEDONIA, Office: Undefined

Home

Manage users	Manage my preferences	Add/Edit functions	Manage organization preferences
Manage rules for customs declarations	View/generate my CDS manifest	Manage system configurations	Manage EDI exchanges
Browse EDI Messages generated	Upload EDI files	View logs	Update local language text
API Access Counters	Manage postal fees	ITMATT items with data loss	Invalid items that did not produce ITMATT
Manage organization specific exchange rates	Manage pending referrals	View responded referrals	Manage declaration references
Manage mail class rules	Anonymous Declarations Report	Manage Content Pieces Filters	EDI Message Report
Outbound items report	Inbound items report	Outbound ITMATT QA/ Compliance report	ITMATT outbound feed
ITMATT outbound errors	Create declaration for outbound item at post	Create declaration for inbound item at post	Search declarations
Outbound item watchdog	Validate anonymous declaration for unidentified packets	Validate anonymous declaration for identified items	

View the referrals received



How to respond to a referral (REFRSP)

Notes **Search pending referrals received / sent. Enter a date range using the following date format: dd/mm/yyyy. A blank 'Date from' defaults to today 00:00, and 'Date to' defaults to today current time**

Mail flow Received Sent

Customs Decision

Date from / /

Date to / /

Select 'Received' and click 'Search'

	Item id	Destination country	Event date	Customs Decision	Decision reason name
Select	CP000000003MK	US (UNITED STATES)	07/11/2022 09:41	RFS (Request for screening)	Request for screening



How to respond to a referral (REFRSP)

Welcome to the CDS: Admin post from MACEDONIA, Office: MKSKPA

[Home](#) [Manage pending referrals](#)

Notes **Search pending referrals received / sent. Enter a date range using the following date format: dd/mm/yyyy. A blank 'Date from' defaults to today 00:00, and 'Date to' defaults to today current time**

Mail flow Received Sent

Customs Decision

Date from

 / /

Date to

 / /

	Item id	Destination country	Event date	Customs Decision	Decision reason name
Select	CP000000003MK	US (UNITED STATES)	07/11/2022 09:41	RFS (Request for screening)	Request for screening

Referral details

Item id

Referral reference

Response details

Response code Response reference

Actions

Reason Code	Reason Text	Action Taken Code	Action Taken Text
<input type="text" value="XRY"/>	<input type="text" value="X-ray equipment"/>	<input type="text" value="XRY"/>	<input type="text" value="X-Ray performed"/>

Click 'Select' to display the referral details

Capture a response code, a response reference and a comment then click 'Store'



How to respond to a referral (REFRSP)

Welcome to the CDS: Admin post from MACEDONIA, Office: Undefined

Home

Manage users	Manage my preferences	Add/Edit functions	Manage organization preferences
Manage rules for customs declarations	View/generate my CDS manifest	Manage system configurations	Manage EDI exchanges
Browse EDI Messages generated	Upload EDI files	View logs	Update local language text
API Access Counters	Manage postal fees	ITMATT items with data loss	Invalid items that did not produce ITMATT
Manage organization specific exchange rates	Manage pending referrals	View responded referrals	Manage declaration references
Manage mail class rules	Anonymous Declarations Report	Manage Content Pieces Filters	EDI Message Report
Outbound items report	Inbound items report	Outbound ITMATT QA/ Compliance report	ITMATT outbound feed
ITMATT outbound errors	Create declaration for outbound item at post	Create declaration for inbound item at post	Search declarations
Outbound item watchdog	Validate anonymous declaration for unidentified packets	Validate anonymous declaration for identified items	

View the responses sent



How to respond to a referral (REFRSP)

Welcome to the CDS: Admin post from MACEDONIA, Office: MKSKPA

[Home](#) [View responded referrals](#)

Notes

Search responded referrals received / sent. Enter a date range using the following date format: dd/mm/yyyy. A blank 'Date from' defaults to today 00:00, and 'Date to' defaults to today current time

Mail flow

Sent Received

Customs Decision

Date from

 / /

Date to

 / /

Select 'Sent' and click 'Search'

	Item id	Destination country	Event date	Customs Decision	Decision reason name	Notes
Select	CP000000001MK	US (UNITED STATES)	07/11/2022 10:53	(Additional screening conducted – no risk or alarm identified)	Additional screening conducted – no risk or alarm identified	
Select	CP000000003MK	US (UNITED STATES)	07/11/2022 14:59	(Additional screening conducted – no risk or alarm identified)	Additional screening conducted – no risk or alarm identified	

Referral details

Item id

Referral reference

Response details


Response code

Response reference

Actions

Reason Code	Action Taken Code	Action Taken Text
<input type="text" value="XRY"/>	<input type="text" value="XRY"/>	<input type="text" value="X-Ray performed"/>


Click 'Select' to display the referral and response details






EDI messaging standards in CDS

EDI standard	CDS Version
M33-13 ITMATT 1 (v1.6.0)	CDS 2021 SP1 CDS 2022 CDS 2022 SP1
M43-3 CUSITM 1 (v1.1.0)	
M44-3 CUSRSP 1 (v1.0.0)	
M53-3 ITMREF 1 (v1.0.0)	
M54-3 REFRSP 1 (v1.0.0)	
M52 ITMATT 2	CDS 2023 To be released in Q2 2023
M55 CUSITM 2	
M56 CUSRSP 2	





EAD Check Concept



The EAD Check API returns an alert when an item:

- does not have an **ITMATT**
- has received a “do not load” (**DNL**) in an ITMREF
- has received a “request for screening” (**RFS**) or “request for information” (**RFI**), with no response
- Has not received an “assessment complete” (**ASC**) -> from IPS 2022
- No information found



EAD Check Configuration

1

Configuration of CDS / CDS.post / CDS Cloud


CDS

- Install the CDS API
- Create a security token for accessing the CDS API, in 'Manage organization preferences > Integration definitions'

CDS.post / CDS Cloud

- Create a security token for accessing the CDS API, in 'Manage organization preferences > Integration definitions'

Procedure to install the CDS API described in the CDS Installation and Configuration Guide





EAD Check Configuration

2

Configuration of IPS / IPS.post / IPS Cloud

IPS / IPS Cloud

- Configure the CDS URL and security token (from previous slide), in 'National management > National parameters' function, tab 'Other', 'CDS URL for interfaces' and 'CDS security token for interfaces' parameters.
- Configure the access to the QCS Big Data for API calls at receptacle level: 'National management > National parameters' function, tab 'Other', 'GTT URL' and 'GTT security token' parameters → URL and token must be requested to the PTC helpdesk (<https://support.upu.int>)

IPS.post

- Configuration is being done by UPU



EAD Check Configuration

2

Configuration of IPS / IPS.post / IPS Cloud

IPS / IPS.post / IPS Cloud

- Configure EAD Check in 'National parameters > Configuration of EAD Status checks'

System: Configuration of EAD status checks (MAN721)

Selection criteria

Origin Country: [dropdown] Handling class: [dropdown]

Destination country: [dropdown] Postal status: [dropdown]

Mail class: [dropdown] Product type: [dropdown]

Search (F3)

Configuration

Disable all EAD status checks EAD sound: [dropdown]

EAD configuration rules

Items in list: 1

Origin country	Destination country	Mail class	Handling class	Product type	Postal status	Exclude from EAD check
						<input type="checkbox"/>

New (Ins)... Edit (F6)... Remove Copy (F5)...

Store (F2) Exit (Esc) Help (F1)

USJFKA | INTERNAL\PC10117011 | INTERNAL\Herrmanns (Normal) | Test database



Edit EAD Configuration

Mail item attributes

Origin country: [dropdown]

Destination country: [dropdown]

Mail class: [dropdown]

Handling class: [dropdown]

Product type: [dropdown]

Postal status: [dropdown]

Exclude from EAD check

Response statuses

No data | No itmatt | Unresponded RFI | Unresponded RFS | **Do not load** | No ASC received

Show warning

Color: [red bar]

Message: Item is marked as Do Not Load

Block Operation

OK Cancel Help (F1)



EAD Check In the operations

Configured by default at EMB, EMC and consignment closure

Parcels: Receive parcels at outward exchange office (EMB) (OUT206)

Identifier: CoD Merchandise or gift

Dest country: Weight:

Handling class: Value:

Mail categ:

ProductType:

Items in list: 1

Identifier	Mail content	Weight	Destination country	Handling class
CP081122069US	Documents	1.000	ES (Spain)	Ordinary

EAD status

No ITMATT sent for the item

Add items to receptacle

Dispatch: Receptacle no.

Receptacle characteristics

Mail subclass: Content format:

Type: Owner:

Exempt

Identified

Item identifier:

A decouvert

List of items

Items in list: 0


Identifier	Co
------------	----

No ITMATT sent for the item

Weight (Kg):

Receptacle:

Dispatch:





Useful links

<https://training.ptc.post>

Training courses on CDS and EAD Customs Declaration

CDS logs and reports functions

Identify errors that prevent CDS from converting customs declarations into ITMATT

IQRS
<https://qcsmailbd.ptc.post>

Identify issues and assess your level of performances